

Products for a simply better
cooking experience

Product overview



BORA cooktop extractor systems

Like cooking in the fresh air – it's second nature to us.

Which BORA cooktop extractor system is right for me?

Find the perfect product for your cooking needs. Kitchen counter or island? Period property, attic flat, studio apartment or multi-generation house? Our product finder can help with the selection.

Scan to view the product finder:



Exhaust air or recirculation?


The BORA systems explained succinctly




All BORA systems can be set up as exhaust air or recirculation versions. With the former, the fan channels cooking vapours straight outside through the BORA Ecotube duct system and the wall sleeve, removing all vapours and odours from the room. In the case of the recirculation version, the fan directs the cooking vapours into the specially developed activated charcoal filter, which effectively eliminates odours. The purified air is recirculated into the room via the plinth area.

Check out the key advantages:



The modular cooktop extractor systems at a glance



	BORA Professional 3.0	BORA Classic 2.0
Modular system with individual cooktop selection	Surface induction, induction, induction wok, gas, Hyper or HiLight cooktop, HiLight cooktop with roaster and the Tepan stainless steel grill.	Surface induction, induction, induction wok, gas, Hyper or HiLight cooktop and the Tepan stainless steel grill.
 Dimensions (W x D x H)	852 x 540 x 176 mm (PKA3/PKA3AB) 852 x 540 x 199 mm (PKAS3/PKAS3AB)	772 x 515 x 190 mm
 Intuitive operation	Touch-operated control knob with analogue/digital operation for intuitive use.	Digital operation using simple finger movement with multi-coloured sControl+ control system.
 Highlight functions	<ul style="list-style-type: none"> · Automatic heat-up function · Cooking zone timer · Automatic extractor function · Bridging function* · Variable heat retention function · Super simple mode <p><small>*With the Tepan stainless steel grill and surface induction cooktop</small></p>	<ul style="list-style-type: none"> · Automatic heat-up function · Cooking zone timer · Automatic extractor function · Bridging function* · Variable heat retention function <p><small>*With the Tepan stainless steel grill and surface induction cooktop</small></p>
 Noise emissions*	Extremely quiet extraction system: 65 to 67 dB* <small>*Applies to the exhaust air version</small> <small>*Depending on the cooktop extractor</small>	Extremely quiet extraction system: 65 dB
 Minimum built-in dimensions	For kitchen cupboards with a min. width of 90 cm (2 cooktops).	For kitchen cupboards with a min. width of 80 cm (2 cooktops).
 Energy efficiency class*	PKA3/PKA3AB:  PKAS3/PKAS3AB:  <small>*Applies to the exhaust air version</small>	
 Odour filter	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. Depending on the filter, filter changes are recommended after 300 or 600 hours of operation.	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. Depending on the filter, filter changes are recommended after 300 or 600 hours of operation.

Modular systems that combine individual cooktops and effective extraction

BORA Professional 3.0



Control knob
Pro 3.0

Pro cooktop extractor
Product no.: PKA3


Pro cooktop extractor system
Product no.: PKAS3




Control knob
Pro 3.0, All Black

Pro cooktop extractor, All Black
Product no.: PKA3AB


Pro cooktop extractor system, All Black
Product no.: PKAS3AB




Pro surface induction cooktop
Product no.: PKF13/PKF13AB




Pro induction cooktop
Product no.: PKI3/PKI3AB




Pro induction wok cooktop
Product no.: PKIW3/PKIW3AB




Pro HiLight cooktop
Product no.: PKC3/PKC3AB



Pro HiLight cooktop roaster
Product no.: PKCB3/PKCB3AB



Pro Hyper cooktop
Product no.: PKCH3/PKCH3AB




Pro gas cooktop
Product no.: PKG3/PKG3AB



Pro Tapan stainless steel grill
Product no.: PKT3/PKT3AB


BORA Classic 2.0



Classic cooktop extractor/cooktop extractor, All Black
Product no.: CKA2/CKA2AB




Classic surface induction cooktop
Product no.: CKFI




Classic induction cooktop
Product no.: CKI




Classic induction wok cooktop
Product no.: CKIW



Classic Hyper cooktop
Product no.: CKCH



Classic HiLight cooktop
Product no.: CKCB



Classic gas cooktop
Product no.: CKG




Classic Tapan stainless steel grill
Product no.: CKT

Accessories for surface mounting



BORA Classic inlay frame
Product no.: CER








Side frame for a cooktop depth of 515 mm
Product no.: USL515



All Black side frame for a cooktop depth of 515 mm
Product no.: USL515AB


Overview of all compact systems



	BORA X Pure	BORA M Pure
Compact system	Compact system with four surface induction cooking zones.	Compact system with two surface induction cooking zones on the right and two induction cooking zones on the left.
Dimensions (W × D × H)	830 × 515 × 199 mm	760 × 515 × 199 mm
Intuitive operation	Intuitive digital operation using simple finger movements with multi-coloured SControl+ technology.	Intuitive digital operation using simple finger movements with white sControl technology.
Highlight functions	<ul style="list-style-type: none"> · Cooking zone timer with a seconds display · Automatic extractor function · Bridging function · Variable heat retention function <p>BORA Assist*</p> <ul style="list-style-type: none"> · Assist functions Fry and Boil · Further Assist functions via the BORA JOY app · WiFi and Bluetooth compatible <p><small>*Ideal in combination with the BORA Pots and Pans Assist cookware and the BORA grill pan.</small></p>	<ul style="list-style-type: none"> · Automatic heat-up function · Cooking zone timer · Automatic extractor function · Bridging function* · Variable heat retention function <p><small>*With surface induction cooking zones, on the right</small></p>
Noise emissions* <small>*Applies to the exhaust air version</small>	Extremely quiet extraction system: 67 dB	Extremely quiet extraction system: 67 dB
Minimum built-in dimensions	For kitchen cupboards with a min. width of 90 cm.	For kitchen cupboards with a min. width of 80 cm.
Energy efficiency class* <small>*Applies to the exhaust air version</small>		
Odour filter	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. A filter change is recommended after 150 hours of operation (1 year) . Simple filter changes from above through the air inlet opening.	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. A filter change is recommended after 150 hours of operation (1 year) . Simple filter changes from above through the air inlet opening.


	BORA Pure	BORA S Pure	BORA Basic
Compact system	Compact system with four induction cooking zones.	Compact system with four different-sized induction cooking zones.	Compact system with four radiant cooking zones.
Dimensions (W × D × H)	760 × 515 × 199 mm	580 × 515 × 199 mm	760 × 515 × 196 mm
Intuitive operation	Intuitive digital operation using simple finger movements with red sControl technology.	Intuitive digital operation using simple finger movements with red sControl technology.	Intuitive digital operation using simple finger movements.
Highlight functions	<ul style="list-style-type: none"> · Automatic heat-up function · Cooking zone timer · Automatic extractor function 	<ul style="list-style-type: none"> · Automatic heat-up function · Cooking zone timer · Automatic extractor function · Coffee function 	<ul style="list-style-type: none"> · Automatic heat-up function · Cooking zone timer
Noise emissions* <small>*Applies to the exhaust air version</small>	Extremely quiet extraction system: 66 dB	Extremely quiet extraction system: 66 dB	Extremely quiet extraction system: 64 dB
Minimum built-in dimensions	For kitchen cupboards with a min. width of 80 cm.	For kitchen cupboards with a min. width of 60 cm.	For kitchen cupboards with a min. width of 80 cm.
Energy efficiency class* <small>*Applies to the exhaust air version</small>			
Odour filter	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. A filter change is recommended after 150 hours of operation (1 year) . Simple filter changes from above through the air inlet opening.	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. A filter change is recommended after 150 hours of operation (1 year) . Simple filter changes from above through the air inlet opening.	In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. A filter change is recommended after 150 hours of operation (1 year) .

The compact systems combine a cooktop and an effective extractor in a single appliance




X Pure exhaust air/recirculation

· X Pure (high-gloss glass ceramic): Product no.: PUXA2/PUXU2
 · X Pure Rough (matt glass ceramic): Product no.: PUXU2R/PUXA2R
 Dimensions: 830 × 515 mm




M Pure exhaust air/recirculation

Product no.: PURMA/PURMU Dimensions: 760 × 515 mm



Pure exhaust air/recirculation

Product no.: PURA/PURU Dimensions: 760 × 515 mm



S Pure exhaust air/recirculation

Product no.: PURSA/PURSU Dimensions: 580 × 515 mm



Basic exhaust air/recirculation

Product no.: BHA/BHU Dimensions: 760 × 515 mm



X Pure air inlet nozzle

Product no.: PUXED2



Basic/GP4 air inlet nozzle

Product no.: GP4ED



Pure air inlet nozzle

Suitable for BORA M Pure, Pure and S Pure

Black: Product no.: PUED

Red: Product no.: PUEDR

Blue: Product no.: PUEDB

Orange: Product no.: PUEDO


Greige: Product no.: PUEDG

Jade green: Product no.: PUEDJ

Sunshine yellow: Product no.: PUEDS

Light grey: Product no.: PUEDL

Accessories for surface mounting




Cooktop frames

· Width 830 mm: Product no.: KFR830AB

· Width 760 mm: Product no.: KFR760AB

· Width 580 mm: Product no.: KFR580AB



Side frame for a cooktop depth of 515 mm

Product no.: USL515



All Black side frame for a cooktop depth of 515 mm

Product no.: USL515AB









BORA X BO – the professional steam oven for your home.



X BO steam oven
 · Dimensions (W × H × D): 598 × 599 × 580 mm
 · With mains water connection
 Product no.: XBO


BORA steam cooking and baking systems

Baking, steaming and much more – with premium appliances for home use.

BORA X BO	
Performance	Ultra-fast performance: heats up to 200 degrees in less than 4 minutes. Optimum steam performance with up to 6 kW.
 Intuitive operation	19-inch touch display responds to a simple tap or swipe, just like a smartphone.
 Highlight functions	BORA Assist: over 200 automatic programmes and special programmes with multiple additional functions that can be continually updated via Wi-Fi. The automatic programmes can be selected on the appliance itself or in the BORA JOY app.
 Cooking chamber volume	Maximum cooking chamber capacity: 53-litre cooking chamber volume, uniform results on 3 shelf levels.
 Cleaning	Quick clean (approx. 75 min.), fully automated intensive cleaning (approx. 4 h) and drying programme (12 min.).
 Energy efficiency class	




X BO frame spacer
Product no.: XBORS



X BO odour filter
Product no.: XBOGF



X BO cleaning cartridge
Product no.: XBORK



X BO oven rack
Product no.: XBOBGR




X BO universal tray
Product no.: XBOUB




X BO deep universal tray
Product no.: XBOUBT



X BO perforated stainless steel tray
Product no.: XBOGBG



X BO air fry tray
Product no.: XBOAFB



X BO baking and grilling plate
· x1
· Double-sided
Product no.: XBOBGP



BORA refrigeration and freezing systems

Smart design meets effective cooling.

	BORA Cool	BORA Cool Combi BORA Cool Combi XL	BORA Freeze
Freshness technology	3 x BORA Fresh zero compartments at almost 0°C.	2 x BORA Fresh zero compartments at almost 0°C.	—
No Frost/Smart Frost	Smart Frost* *Excluding BORA Cool refrigerator C178K	No Frost	No Frost
Odour filter	BORA Cool odour filter	BORA Cool odour filter	—
Simple cleaning	Many removable elements are dishwasher safe and the absence of ornamental trims enables simple wiping.	Many removable elements are dishwasher safe and the absence of ornamental trims enables simple wiping.	Many removable elements are dishwasher safe.
Optimum refrigeration	Uniform temperatures throughout the refrigerator thanks to convection cooling.	Uniform temperatures throughout the refrigerator thanks to convection cooling. Separate cooling circuits in the refrigerator and freezer compartments.	Special programmes can change the freezing conditions for a set period in line with specific situations.
Sophisticated ergonomics	Pull-out shelves with removable trays make it easy to put groceries away.	Pull-out shelves with removable trays make it easy to put groceries away.	Easy-to-pull-out shelves, some with an open-fronted design, make it particularly easy to put groceries away.
Energy efficiency class	A ↑ D	A ↑ D	A ↑ E

BORA Cool



Cool refrigerator
 · Particularly quiet: 33 dB(A)
 · Capacity: 296 litres
 · Dimensions (H × W × D):
 1,770 × 559 × 546 mm
 Product no.: C178K



Cool refrigerator with 4-star freezer compartment
 · Particularly quiet: 34 dB(A)
 · Capacity: 276 litres incl. 27 litres freezer space
 · Dimensions (H × W × D):
 1,770 × 559 × 546 mm
 Product no.: C178KGF



Best features package for BORA Cool*

- Refrigerator storage tray
- 2 × storage boxes
- 2 × multi-use spiked mat
- Sorting tubs in two sizes
- Serving board
- Multi-tray
- Bottle opener
- Multi-use hanging rack

Product no.: K178S2

*The BORA Best features package is not included as standard.

BORA Cool Combi



Cool refrigerator-freezer

- Particularly quiet: 34 dB(A)
- Capacity: 245 litres incl. 70 litres freezer space
- Dimensions (H x W x D): 1,770 x 559 x 546 mm

Product no.: C178KG

BORA Cool Combi XL



Cool refrigerator-freezer with Ice Maker

- Particularly quiet: 34 dB(A)
- Capacity: 246 litres incl. 71 litres freezer space
- Dimensions (H x W x D): 1,770 x 559 x 546 mm

Product no.: C178KGW

BORA Freeze



Freeze freezer with Ice Maker

- Particularly quiet: 33 dB(A)
- Capacity: 213 litres
- Dimensions (H x W x D): 1,770 x 559 x 546 mm

Product no.: F178GW



Side by side: Freeze freezer and Cool refrigerator combined

- Capacity: 213 litres freezer space and 296 litres refrigerator space
- Dimensions (H x W x D): 1,770 x 1,118 x 546 mm

Product no.: F178GW + C178K



Best features package for BORA Cool Combi/Cool Combi XL*

- Cube form
- Storage box
- Multi-use spiked mat
- Sorting tubs in two sizes
- Serving board
- Multi-tray
- Bottle opener
- Multi-use hanging rack

Product no.: K178GS2



Best features package for BORA Freeze*

- 2 x storage boxes
- Wine cooler
- 3 x cube forms

Product no.: G178S2



Order accessories at shop.bora.com



Horizon fixed
 Black: Product no.: LHFSW
 Moss green: Product no.: LHFMG
 Rose gold: Product no.: LHFRG


Horizon move
 Black: Product no.: LHMSW
 Moss green: Product no.: LHMMG
 Rose gold: Product no.: LHMRG



Stars, surface-mounted
 Black: Product no.: LSASW
 Moss green: Product no.: LSAMG
 Rose gold: Product no.: LSARG




Stars, built-in
 Black: Product no.: LSESW
 Moss green: Product no.: LSEMG
 Rose gold: Product no.: LSERG



Stars, circular
 Black: Product no.: LSZSW
 Moss green: Product no.: LSZMG
 Rose gold: Product no.: LSZRG



Stars, linear
 Black: Product no.: LLSW
 Moss green: Product no.: LLMG
 Rose gold: Product no.: LLRG



BORA lighting

Minimalist design and maximum light.

	BORA Horizon	BORA Stars
Lighting mood	2-in-1 lighting: as direct light over a cooktop and indirect ambient light.	Elegant lighting accents: as direct light for a pleasant ambiance.
Colour temperature	LED with a particular wide colour spectrum of 2,700 – 5,000 kelvin.	LED with a colour temperature of 3,000 kelvin (bright warm white).
Intuitive operation	Intuitive gesture control: light off/on, dim light, change colour temperature, couple and decouple direct and indirect lighting.	Rotary knob/light switch: infinite dimming of the 3-light circular and 3-light linear versions.
Height adjustable	Height adjustable without tools, on the ceiling housing on the 'fixed' version and directly on the 'move' version by moving the light fixture and down.	Individually height-adjustable on the ceiling housing without tools.
Power	40 W	3 W / Stars pendant light
Lux	1,600 lm direct / 770 lm indirect	Stars 1-light: 230 lm Stars 3-light: 690 lm
Energy efficiency class		



Available to order at shop.bora.com



BORA Pots and Pans



7-piece pot set
 · 24 cm pot BORA tiltable lid
 · 20 cm pot with BORA tiltable lid
 · 16 cm pot with BORA tiltable lid
 · 16 cm saucepan
 Product no.: KWPAP1



2-piece frying pan set
 · 24 cm frying pan
 · 20 cm frying pan
 Product no.: KWPAP2



Braising pan
 28 cm
 Product no.: KWPAP3

BORA Pots and Pans Assist



5-piece pot set Assist
 · 24 cm pot BORA tiltable lid
 · 20 cm pot with BORA tiltable lid
 · Steamer insert
 Product no.: KWPAP4



Frying pan Assist
 24 cm
 Product no.: KWPAP5

Supplies and accessories

The perfect supplies and functional accessories for all BORA products.

	BORA Pots and Pans	BORA Pots and Pans Assist	BORA grill pan
Material quality	Stainless steel with a 5-ply structure, silicone-polyester outer coating and ceramic coating on the inside of the frying pans.	Stainless steel with an encapsulated Akkutherm heat-retaining base and ceramic coating on the inside of the frying pans.	Cast aluminium with DURIT-Resist coating for optimum non-stick properties and silicone feet on the base to avoid scratching glass ceramic cooktops.
Compatibility	Suitable for induction, surface induction, radiant and gas cooktops.	Suitable for induction, surface induction, radiant and gas cooktops.	Suitable for surface induction cooktops, oven safe to 230°C and compatible with the BORA X BO.
Highlight functions	—	BORA Assist: Technically optimised for using the Assist functions and recipes when cooking with the BORA X Pure.	BORA Assist: Technically optimised for using the Assist functions and recipes when cooking with the BORA X Pure.
Sophisticated ergonomics	Ergonomic, stay-cool handles plus BORA tiltable lid on the pot set.	Ergonomic, stay-cool handles plus BORA tiltable lid on the pot set.	Ergonomic handles.
Simple cleaning	Pot set dishwasher safe; hand-washing recommended for the frying pan set and braising pan.	Pot set dishwasher safe; hand-washing recommended for the frying pan.	Dishwasher safe, hand-washing recommended.

Other cookware



BORA grill pan
 Product no.: KWGPFI



Tepan spatula
 · Suitable for Tepan stainless steel grills
 · Suitable for turning food and cleaning the Tepan stainless steel grill
 Product no.: KWTS



Induction wok pan
 · Suitable for BORA induction wok cooktops
 · Multi-layered material with special alloy
 · High-quality stainless steel handle
 Product no.: HIW1

Built-in vacuum sealer

QVac vacuum sealing set

- QVac built-in vacuum sealer
- 1-litre vacuum box
- 2-litre vacuum box
- Marinating ring
- 2 × vacuum seals
- Vacuum bag set



All Black:
Product no.: QVACAB

Stainless Steel:
Product no.: QVACSS



QVac vacuum bag set

5 × 0.6 litres / 5 × 1.5 litres /
5 × 2.1 litres

Product no.: QVACVBES

QVac 0.6-litre vacuum bag

× 15

Product no.: QVACVBE1

QVac 1.5-litre vacuum bag

× 15

Product no.: QVACVBE2

QVac 2.1-litre vacuum bag

× 15

Product no.: QVACVBE3



QVac 2-litre vacuum box

× 2

Product no.: QVACVB02

QVac 1-litre vacuum box

× 2

Product no.: QVACVB01

QVac vacuum seal

- Suitable for storing liquids in bottles
- × 2


Product no.: QVACVV

QVac marinating ring

- Compatible with BORA QVac vacuum boxes
- Ultra-rapid marinating

Product no.: QVACMR

Grease filter



Pro stainless steel grease filter

Suitable for Professional 3.0

Product no.: PKA1FF

Classic stainless steel grease filter

Suitable for Classic 2.0

Product no.: CKAFFE

Pure stainless steel grease filter

Suitable for Pure, M Pure, X Pure and S Pure

Product no.: PUEF

Basic stainless steel grease filter

Suitable for Basic and GP4

Product no.: BFF

Odour filter



Flexible air purification box

- Suitable for Professional 3.0 and Classic 2.0
- Service life approx. 300 h / 1.5 years

Product no.: ULBF

Activated charcoal filter set

- Suitable for Professional 3.0 and Classic 2.0
- Service life approx. 600 h / 3 years

Product no.: ULB3AS

Pure activated charcoal filter


Suitable for Pure, M Pure, X Pure and S Pure

Product no.: PUAKF

Basic activated charcoal filter

Suitable for Basic and GP4

Product no.: BAKFS



X BO odour filter

Product no.: XBOGF

Cool odour filter

Suitable for Cool, Cool Combi and Cool Combi XL

Product no.: KGF



Available to order at shop.bora.com

